

1/2" IMPACT SOCKETSS

HexForce Sockets play a vital role in transmitting torque efficiently and securely. These versatile accessories seamlessly connect your tool to the fastener you're working with, ensuring a smooth and effective tightening or loosening process.

- We offer a wide impact sockets with square drives of 1/2" to 2-1/2" with multiple types of 6 point, 12 point, standard length and deep length.
- Sockets available in METRIC sizes ranging with A/F sizes from 8mm to 225mm whereas IMPERIAL range starts from A/F size of 9/16" which goes all the way up to 9-1/4".
- Allen key sockets available with square drives of 1/2" to 1-1/2" with A/F sizes as per standard and customer specific requirements.

We can provide customized solutions in all types of sockets to meet the customer's application.



Material

Typically made from chrome vanadium steel or other high-strength materials for durability and resistance to wear and tear.

Size Markings

Clearly marked with their size for easy identification and selection.



METRIC HEXAGON	A/F mm	D1 mm	D2 mm	T mm	OAL mm	WT. kg
	8	15	25	10	38	0.06
	10	17	25	10	38	0.09
	11	19	25	12	38	0.09
	12	20	25	12	38	0.09
	13	21	25	12	38	0.09
	14	22	25	13	38	0.09
	15	24	30	14	38	0.13
	16	25	30	14	38	0.13
	17	26	30	14	38	0.13
	18	27.5	30	14	38	0.13
	19	27.5	30	16	38	0.13
	20	30	30	16	38	0.13
	21	30	30	18	38	0.13
	22	32	30	18	38	0.14
	23	32	30	18	38	0.14
24	35	30	21	45	0.17	
27	38	30	23	50	0.26	
30	41	30	24	50	0.29	
32	44	30	26	50	0.30	
36	49	35	28	50	0.30	

IMPERIAL HEXAGON	A/F inch	D1 inch	D2 inch	T inch	OAL inch	WT. lbs
	5/16"	15	25	10	38	0.06
	3/8"	16	25	10	38	0.09
	7/16"	18	25	12	38	0.09
	1/2"	20	25	12	38	0.09
	9/16"	22	25	13	38	0.09
	5/8"	25	25	14	38	0.09
	11/16"	25	25	14	38	0.09
	3/4"	27.5	30	16	38	0.13
	13/16"	30	30	16	38	0.13
	7/8"	32	30	18	38	0.14
	15/16"	35	30	18	38	0.16
	1"	35	30	21	38	0.20
	1-1/16"	38	30	23	50	0.26
	1-1/8"	38	30	23	50	0.26
	1-3/16"	41	30	24	50	0.29
1-1/4"	44	35	24	50	0.29	
1-3/8"	49	38	28	50	0.30	

TORQUING ACCESSORIES



3/4" IMPACT SOCKETS

METRIC HEXAGON	A/F	D1	D2	T	C	OAL	WT.
	mm	mm	mm	mm	mm	mm	kg
	17	30.0	42.0	12.0	21.0	45.0	0.303
	19	32.0	42.0	12.0	21.0	45.0	0.306
	21	36.0	42.0	13.0	24.0	48.0	0.336
	22	37.0	42.0	13.0	24.0	48.0	0.338
	23	39.0	42.0	13.0	24.0	48.0	0.348
	24	39.0	42.0	15.0	24.0	48.0	0.348
	26	41.0	44.0	15.0	24.0	48.0	0.376
	27	44.0	44.0	16.0	24.0	48.0	0.396
28	44.0	44.0	16.0	24.0	48.0	0.388	
30	47.0	44.0	18.0	27.0	51.0	0.443	
32	49.0	44.0	18.0	27.0	51.0	0.453	
33	50.0	44.0	18.0	27.0	51.0	0.459	
34	52.0	44.0	20.0	30.0	54.0	0.509	
36	54.0	54.0	20.0	30.0	54.0	0.647	
38	57.0	54.0	23.0	35.0	59.0	0.754	
41	61.0	54.0	23.0	35.0	59.0	0.811	
42	62.0	54.0	25.0	35.0	59.0	0.814	
43	63.0	54.0	25.0	38.0	62.0	0.862	
46	67.0	54.0	25.0	38.0	62.0	0.941	
50	70.0	54.0	28.0	41.0	65.0	0.968	

IMPERIAL HEXAGON	A/F	D1	D2	T	C	OAL	WT.
	inch	inch	inch	inch	inch	inch	lbs
	9/16	1.131	1.654	0.472	0.827	1.772	0.620
	5/8	1.181	1.654	0.472	0.827	1.772	0.670
	11/16	1.211	1.654	0.472	0.827	1.772	0.670
	3/4	1.260	1.654	0.472	0.827	1.772	0.670
	13/16	1.417	1.654	0.512	0.945	1.890	0.740
	7/8	1.535	1.654	0.512	0.945	1.890	0.770
	15/16	1.535	1.654	0.591	0.945	1.890	0.750
	1	1.614	1.732	0.591	0.945	1.890	0.830
1 1/16	1.732	1.732	0.630	0.945	1.890	0.870	
1 1/8	1.850	1.732	0.709	1.063	2.008	0.970	
1 3/16	1.880	1.732	0.709	1.063	2.008	0.970	
1 1/4	1.929	1.732	0.709	1.063	2.008	1.000	
1 5/16	2.047	1.732	0.787	1.181	2.126	1.120	
1 3/8	2.076	2.126	0.787	1.181	2.126	1.400	
1 7/16	2.106	2.126	0.787	1.181	2.126	1.400	
1 1/2	2.344	2.126	0.906	1.378	2.323	1.660	
1 9/16	2.352	2.126	0.906	1.378	2.323	1.760	
1 5/8	2.441	2.126	0.984	1.378	2.323	1.790	
1 11/16	2.480	2.126	0.984	1.496	2.441	1.900	
1 3/4	2.688	2.126	0.984	1.496	2.441	2.070	
1 13/16	2.688	2.126	0.984	1.496	2.441	2.070	

3/4" DEEP IMPACT SOCKETS



METRIC DEEP HEXAGON	A/F	D1	D2	T	C	OAL	WT.
	mm	mm	mm	mm	mm	mm	kg
	17	30.0	42.0	12.0	61.0	85.0	0.463
	19	32.0	42.0	12.0	61.0	85.0	0.479
	21	36.0	42.0	13.0	61.0	85.0	0.542
	22	37.0	42.0	13.0	61.0	85.0	0.551
	23	39.0	42.0	13.0	61.0	85.0	0.586
	24	40.0	42.0	15.0	61.0	85.0	0.595
	26	41.0	42.0	15.0	66.0	85.0	0.618
	27	43.0	43.0	16.0	66.0	90.0	0.674
28	44.0	44.0	16.0	66.0	90.0	0.699	
30	47.0	44.0	18.0	66.0	90.0	0.769	
32	49.0	44.0	18.0	66.0	90.0	0.798	
33	50.0	44.0	18.0	66.0	90.0	0.812	
34	52.0	44.0	20.0	66.0	90.0	0.869	
36	54.0	54.0	20.0	66.0	90.0	1.034	
38	57.0	54.0	23.0	66.0	90.0	1.125	
41	61.0	54.0	23.0	66.0	90.0	1.229	
42	62.0	54.0	25.0	66.0	90.0	1.241	
43	63.0	54.0	25.0	66.0	90.0	1.255	
46	67.0	54.0	25.0	76.0	100.0	1.563	
50	70.0	54.0	28.0	76.0	100.0	1.573	

IMPERIAL DEEP HEXAGON	A/F	D1	D2	T	C	OAL	WT.
	inch	inch	inch	inch	inch	inch	lbs
	9/16	1.131	1.654	0.472	2.402	3.346	0.970
	5/8	1.181	1.654	0.472	2.402	3.346	1.020
	11/16	1.211	1.654	0.472	2.402	3.346	1.040
	3/4	1.260	1.654	0.472	2.402	3.346	1.050
	13/16	1.417	1.654	0.512	2.402	3.346	1.190
	7/8	1.535	1.654	0.512	2.402	3.346	1.290
	15/16	1.575	1.654	0.591	2.402	3.346	1.310
	1	1.614	1.654	0.591	2.598	3.543	1.360
1 1/16	1.693	1.693	0.630	2.598	3.543	1.480	
1 1/8	1.850	1.732	0.709	2.598	3.543	1.690	
1 3/16	1.880	1.732	0.709	2.598	3.543	1.710	
1 1/4	1.929	1.732	0.709	2.598	3.543	1.760	
1 5/16	2.047	1.732	0.787	2.598	3.543	1.910	
1 3/8	2.126	2.126	0.787	2.598	3.543	2.280	
1 7/16	2.156	2.126	0.787	2.598	3.543	2.300	
1 1/2	2.244	2.126	0.906	2.598	3.543	2.470	
1 9/16	2.402	2.126	0.906	2.598	3.543	2.700	
1 5/8	2.441	2.126	0.984	2.598	3.543	2.730	
1 11/16	2.480	2.126	0.984	2.598	3.543	2.760	
1 3/4	2.638	2.126	0.984	2.992	3.937	3.440	
1 13/16	2.456	2.126	1.102	2.992	3.937	3.410	
1 7/8	2.456	2.126	1.102	2.992	3.937	3.410	
2	2.731	2.441	1.181	2.992	3.937	4.180	

*Bi-hexagon socket available in all sizes.



1" IMPACT SOCKETS



METRIC HEXAGON

A/F mm	D1 mm	D2 mm	T mm	C mm	OAL mm	WT. kg
17	36.0	51.0	14.0	25.0	55.0	0.51
19	36.0	51.0	14.0	25.0	55.0	0.51
20	36.0	51.0	14.0	25.0	55.0	0.50
21	38.0	51.0	14.0	25.0	55.0	0.52
22	40.0	51.0	14.0	25.0	55.0	0.53
23	40.0	51.0	14.0	25.0	55.0	0.52
24	42.0	51.0	16.0	27.0	57.0	0.55
25	43.0	51.0	16.0	27.0	57.0	0.55
26	45.0	51.0	16.0	27.0	57.0	0.56
27	46.0	51.0	16.0	27.0	57.0	0.57
28	47.0	51.0	16.0	27.0	57.0	0.57
29	48.0	51.0	18.0	29.0	59.0	0.59
30	49.0	54.0	18.0	29.0	59.0	0.66
31	50.0	54.0	18.0	29.0	59.0	0.66
32	52.0	54.0	18.0	29.0	59.0	0.68
33	54.0	54.0	18.0	29.0	59.0	0.69
34	54.0	54.0	20.0	31.0	61.0	0.70
35	54.0	54.0	20.0	31.0	61.0	0.69
36	57.0	54.0	20.0	31.0	61.0	0.78
37	57.0	54.0	20.0	31.0	61.0	0.76
38	59.0	54.0	22.0	34.0	64.0	0.84
39	60.0	54.0	22.0	34.0	64.0	0.88
40	60.0	54.0	22.0	34.0	64.0	0.85
41	62.0	54.0	22.0	34.0	64.0	0.90
42	64.0	54.0	24.0	36.0	66.0	0.97
43	65.0	54.0	24.0	36.0	66.0	0.98
44	66.0	54.0	24.0	36.0	66.0	0.98
45	68.0	54.0	24.0	36.0	66.0	1.03
46	68.0	54.0	26.0	38.0	68.0	1.02
47	71.0	54.0	26.0	38.0	68.0	1.02
48	71.0	54.0	26.0	38.0	68.0	1.08
49	74.0	54.0	28.0	40.0	70.0	1.17
50	74.0	54.0	28.0	40.0	70.0	1.17
51	77.0	62.0	30.0	40.0	70.0	1.40
52	77.0	62.0	30.0	40.0	70.0	1.40
54	79.0	62.0	30.0	40.0	70.0	1.42
55	79.0	62.0	30.0	44.0	74.0	1.45
56	80.0	62.0	31.0	44.0	74.0	1.46
57	84.0	62.0	32.0	44.0	74.0	1.59
58	84.0	62.0	32.0	44.0	74.0	1.59
59	87.0	62.0	33.0	47.0	77.0	1.75
60	87.0	62.0	33.0	47.0	77.0	1.75
62	90.0	62.0	34.0	49.0	79.0	1.89
65	93.0	62.0	36.0	51.0	81.0	1.99
70	99.0	86.0	38.0	54.0	84.0	2.81
75	104.0	86.0	40.0	56.0	89.0	3.08
80	112.0	86.0	43.0	58.0	91.0	3.54
85	119.0	86.0	50.0	60.0	93.0	3.85
90	122.0	86.0	50.0	62.0	95.0	3.84
95	130.0	106.0	53.0	64.0	97.0	5.13
100	134.0	106.0	56.0	66.0	99.0	5.20
105	142.0	106.0	59.0	68.0	101.0	5.83
110	147.0	106.0	62.0	72.0	105.0	6.00
115	153.0	127.0	66.0	72.0	105.0	7.36

IMPERIAL HEXAGON

A/F inch	D1 inch	D2 inch	T inch	C inch	OAL inch	WT. lbs
11/16	1.417	2.008	0.551	0.984	2.165	1.13
3/4	1.417	2.008	0.551	0.984	2.165	1.13
13/16	1.496	2.008	0.551	0.984	2.165	1.13
7/8	1.575	2.008	0.551	0.984	2.165	1.14
15/16	1.654	2.008	0.630	1.063	2.244	1.20
1	1.772	2.008	0.630	1.063	2.244	1.24
1 1/16	1.811	2.008	0.630	1.063	2.244	1.25
1 1/8	1.890	2.008	0.709	1.142	2.323	1.29
1 3/16	1.969	2.126	0.709	1.142	2.323	1.45
1 1/4	2.047	2.126	0.709	1.142	2.323	1.49
1 5/16	2.126	2.126	0.787	1.220	2.402	1.54
1 3/8	2.126	2.126	0.787	1.220	2.402	1.51
1 7/16	2.244	2.126	0.787	1.220	2.402	1.68
1 1/2	2.323	2.126	0.866	1.339	2.520	1.86
1 9/16	2.362	2.126	0.866	1.339	2.520	1.88
1 5/8	2.520	2.126	0.945	1.417	2.598	2.13
1 11/16	2.569	2.126	0.945	1.417	2.598	2.15
1 3/4	2.677	2.126	0.945	1.417	2.598	2.27
1 13/16	2.677	2.126	1.024	1.496	2.677	2.30
1 7/8	2.795	2.126	1.024	1.496	2.677	2.37
1 15/16	2.795	2.126	1.024	1.496	2.677	2.37
2	2.963	2.126	1.102	1.575	2.756	2.67
2 1/16	2.963	2.126	1.102	1.575	2.756	2.67
2 1/8	3.110	2.441	1.102	1.575	2.756	3.13
2 3/16	3.150	2.441	1.181	1.732	2.913	3.21
2 1/4	3.307	2.441	1.181	1.732	2.913	3.50
2 5/16	3.307	2.441	1.181	1.732	2.913	3.50
2 3/8	3.405	2.441	1.260	1.850	3.031	3.77
2 7/16	3.543	2.441	1.339	1.929	3.110	4.17
2 1/2	3.543	2.441	1.339	1.929	3.110	4.17
2 9/16	3.711	2.441	1.417	2.008	3.189	4.38
2 5/8	3.711	2.441	1.417	2.008	3.189	4.38
2 11/16	3.898	3.386	1.496	2.126	3.307	6.19
2 3/4	3.898	3.386	1.496	2.126	3.307	6.19
2 13/16	3.898	3.386	1.496	2.126	3.307	6.19
2 7/8	4.094	3.386	1.575	2.205	3.504	6.77
2 15/16	4.094	3.386	1.575	2.205	3.504	6.77
3	4.094	3.386	1.575	2.205	3.504	6.77
3 1/16	4.425	3.386	1.654	2.283	3.583	7.80
3 1/8	4.425	3.386	1.654	2.283	3.583	7.80
3 3/16	4.425	3.386	1.654	2.283	3.583	7.80
3 1/4	4.651	3.386	1.732	2.362	3.661	8.13
3 5/16	4.742	3.386	1.732	2.362	3.661	8.40
3 3/8	4.742	3.386	1.732	2.362	3.661	8.40
3 7/16	4.803	3.386	1.811	2.441	3.740	8.44
3 1/2	4.803	3.386	1.811	2.441	3.740	8.44
3 5/8	5.118	4.173	1.890	2.520	3.819	11.29
3 3/4	5.118	4.173	1.890	2.520	3.819	11.29
3 7/8	5.276	4.173	1.969	2.598	3.898	11.44
4	5.591	4.173	2.047	2.677	3.976	12.82
4 1/8	5.591	4.173	2.047	2.677	3.976	12.82
4 1/4	5.727	4.173	2.126	2.835	4.134	13.05
4 3/8	6.024	5.000	2.205	2.835	4.134	16.20
4 1/2	6.024	5.000	2.205	2.835	4.134	16.20

*Bi-hexagon socket available in all sizes.

TORQUING ACCESSORIES

1" DEEP IMPACT SOCKETS



METRIC DEEP HEXAGON

A/F mm	D1 mm	D2 mm	T mm	C mm	OAL mm	WT. kg
17	36.0	51.0	14.0	72.0	102.0	0.79
19	36.0	51.0	14.0	72.0	102.0	0.79
20	36.0	51.0	14.0	72.0	102.0	0.76
21	38.0	51.0	14.0	72.0	102.0	0.81
22	40.0	51.0	14.0	72.0	102.0	0.86
23	40.0	51.0	14.0	72.0	102.0	0.84
24	42.0	51.0	16.0	72.0	102.0	0.89
25	43.0	51.0	16.0	72.0	102.0	0.90
26	45.0	51.0	16.0	72.0	102.0	0.95
27	46.0	51.0	16.0	72.0	102.0	0.97
28	47.0	51.0	16.0	72.0	102.0	0.98
29	48.0	51.0	18.0	72.0	102.0	0.99
30	49.0	54.0	18.0	72.0	102.0	1.07
31	50.0	54.0	18.0	72.0	102.0	1.09
32	52.0	54.0	18.0	72.0	102.0	1.14
33	54.0	54.0	18.0	72.0	102.0	1.19
34	54.0	54.0	20.0	72.0	102.0	1.16
35	54.0	54.0	20.0	72.0	102.0	1.13
36	57.0	54.0	20.0	69.0	102.0	1.31
37	57.0	54.0	20.0	69.0	102.0	1.28
38	59.0	54.0	22.0	69.0	102.0	1.38
39	60.0	54.0	22.0	69.0	102.0	1.41
40	60.0	54.0	22.0	69.0	102.0	1.37
41	62.0	54.0	22.0	69.0	102.0	1.45
42	64.0	54.0	24.0	69.0	102.0	1.53
43	66.0	54.0	24.0	69.0	102.0	1.61
44	66.0	54.0	24.0	69.0	102.0	1.56
45	68.0	54.0	24.0	69.0	102.0	1.65
46	68.0	54.0	26.0	69.0	102.0	1.59
47	71.0	54.0	26.0	67.0	102.0	1.73
48	71.0	54.0	26.0	67.0	102.0	1.68
49	74.0	54.0	28.0	80.0	110.0	1.96
50	74.0	54.0	28.0	80.0	110.0	1.96
51	77.0	62.0	30	75.0	110.0	2.23
52	77.0	62.0	30	75.0	110.0	2.23
54	79.0	62.0	30	75.0	110.0	2.26
55	79.0	62.0	30.0	75.0	110.0	2.19
56	80.0	62.0	31	75.0	110.0	2.21
57	84.0	62.0	32	75.0	110.0	2.42
58	84.0	62.0	32	75.0	110.0	2.42
59	87.0	62.0	33	80.0	115.0	2.71
60	87.0	62.0	33	80.0	115.0	2.71
62	90.0	62.0	34.0	80.0	115.0	2.86
65	93.0	62.0	36.0	80.0	115.0	2.90
70	99.0	62.0	38.0	85.0	120.0	3.28
75	104.0	86.0	40	85.0	120.0	4.17
80	112.0	86.0	43	85.0	120.0	4.73
85	119.0	86.0	50	90.0	125.0	5.27
90	122.0	86.0	50	90.0	125.0	5.15
95	130.0	106.0	53	95.0	130.0	6.91
100	134.0	106.0	56	95.0	130.0	6.88
105	142.0	106.0	59	95.0	130.0	7.58
110	147.0	106.0	62	105.0	140.0	8.38
115	153.0	127.0	66	105.0	140.0	9.81

IMPERIAL DEEP HEXAGON

A/F inch	D1 inch	D2 inch	T inch	C inch	OAL inch	WT. lbs
11/16	1.417	2.008	0.551	2.835	4.016	1.73
3/4	1.417	2.008	0.551	2.835	4.016	1.73
13/16	1.496	2.008	0.551	2.835	4.016	1.78
7/8	1.575	2.008	0.551	2.835	4.016	1.85
15/16	1.654	2.008	0.630	2.835	4.016	1.95
1	1.772	2.008	0.630	2.835	4.016	2.10
1 1/16	1.811	2.008	0.630	2.835	4.016	2.13
1 1/8	1.890	2.008	0.709	2.835	4.016	2.18
1 3/16	1.969	2.126	0.709	2.835	4.016	2.39
1 1/4	2.047	2.126	0.709	2.835	4.016	2.51
1 5/16	2.126	2.126	0.787	2.835	4.016	2.56
1 3/8	2.126	2.126	0.787	2.835	4.016	2.49
1 7/16	2.244	2.126	0.787	2.717	4.016	2.82
1 1/2	2.323	2.126	0.866	2.717	4.016	3.03
1 9/16	2.362	2.126	0.866	2.717	4.016	3.03
1 5/8	2.520	2.126	0.945	2.717	4.016	3.36
1 11/16	2.569	2.126	0.945	2.717	4.016	3.53
1 3/4	2.677	2.126	0.945	2.717	4.016	3.62
1 13/16	2.677	2.126	1.024	2.717	4.016	3.62
1 7/8	2.795	2.126	1.024	2.638	4.016	3.69
1 15/16	2.795	2.126	1.024	2.638	4.016	3.69
2	2.963	2.126	1.102	3.150	4.331	4.41
2 1/16	2.923	2.126	1.102	3.150	4.331	4.41
2 1/8	3.110	2.441	1.181	2.953	4.331	4.81
2 3/16	3.150	2.441	1.181	2.953	4.331	4.85
2 1/4	3.307	2.441	1.181	2.953	4.331	4.85
2 5/16	3.307	2.126	0.945	2.717	4.331	4.85
2 3/8	3.405	2.441	1.260	3.150	4.528	6.04
2 7/16	3.543	2.441	1.260	3.150	4.528	6.30
2 1/2	3.543	2.126	1.024	2.638	4.528	6.30
2 9/16	3.711	2.441	1.339	3.150	4.528	6.38
2 5/8	3.711	2.441	1.339	3.150	4.528	6.38
2 11/16	3.031	2.441	1.102	2.953	4.528	6.38
2 3/4	3.898	2.441	1.417	3.346	4.724	7.22
2 13/16	3.898	2.441	1.417	3.346	4.724	7.22
2 7/8	4.094	3.386	1.496	3.346	4.724	9.18
2 15/16	4.094	3.386	1.496	3.346	4.724	9.18
3	4.094	3.386	1.496	3.346	4.724	9.18
3 1/16	4.425	3.386	1.575	3.346	4.724	10.40
3 1/8	4.425	3.386	1.575	3.346	4.724	10.40
3 3/16	4.425	3.386	1.575	3.346	4.724	10.40
3 1/4	4.651	3.386	1.654	3.543	4.921	10.84
3 5/16	4.742	3.386	1.654	3.543	4.921	11.60
3 3/8	4.742	3.386	1.654	3.543	4.921	11.60
3 7/16	4.803	3.386	1.732	3.543	4.921	11.60
3 1/2	4.803	3.386	1.732	3.543	4.921	11.60
3 5/8	5.118	4.173	1.811	3.740	5.118	15.20
3 3/4	5.118	4.173	1.811	3.740	5.118	15.20
3 7/8	5.276	4.173	1.890	3.740	5.118	15.20
4	5.591	4.173	1.969	3.740	5.118	16.68
4 1/8	5.591	4.173	1.969	3.740	5.118	16.68
4 1/4	5.727	4.173	2.047	4.134	5.512	18.58
4 3/8	6.024	5.000	2.126	4.134	5.512	21.59
4 1/2	6.024	5.000	2.126	4.134	5.512	21.59

*Bihexagon socket available in all sizes.



1 1/2" IMPACT SOCKETS



METRIC HEXAGON

A/F mm	D1 mm	D2 mm	T mm	C mm	OAL mm	WT. kg
30	58.0	82.0	19.0	33.0	75.0	1.91
32	58.0	82.0	19.0	33.0	75.0	1.91
33	59.0	82.0	19.0	33.0	75.0	1.91
34	60.0	82.0	20.0	33.0	75.0	1.91
35	62.0	82.0	21.0	35.0	77.0	1.97
36	63.0	82.0	21.0	35.0	77.0	1.97
37	64.0	82.0	21.0	35.0	77.0	1.97
38	65.0	84.0	22.0	35.0	77.0	2.07
39	67.0	84.0	22.0	36.0	78.0	2.12
40	68.0	84.0	23.0	36.0	78.0	2.13
41	69.0	84.0	23.0	37.0	79.0	2.14
42	70.0	84.0	24.0	37.0	79.0	2.15
43	71.0	84.0	24.0	38.0	80.0	2.17
44	73.0	84.0	25.0	38.0	80.0	2.20
45	74.0	84.0	25.0	39.0	81.0	2.22
46	75.0	86.0	26.0	40.0	82.0	2.35
47	77.0	86.0	27.0	40.0	82.0	2.38
48	78.0	86.0	27.0	40.0	82.0	2.39
49	79.0	86.0	27.0	41.0	83.0	2.41
50	80.0	86.0	28.0	41.0	83.0	2.42
51	81.0	86.0	30.0	41.0	83.0	2.42
52	82.0	86.0	30.0	42.0	84.0	2.45
54	84.0	86.0	30.0	42.0	84.0	2.47
55	86.0	86.0	30.0	43.0	85.0	2.52
56	88.0	86.0	31.0	43.0	85.0	2.71
57	88.0	86.0	32.0	43.0	85.0	2.71
58	90.0	86.0	32.0	44.0	86.0	2.78
59	90.0	86.0	33.0	46.0	88.0	2.78
60	90.0	86.0	33.0	46.0	88.0	2.78
61	94.0	86.0	34.0	46.0	88.0	2.92
62	94.0	86.0	35.0	46.0	88.0	2.92
65	98.0	86.0	35.0	48.0	90.0	3.09
67	101.0	86.0	37.0	50.0	92.0	3.26
70	104.0	86.0	38.0	53.0	95.0	3.40
73	108.0	86.0	40.0	55.0	97.0	3.71
75	111.0	86.0	42.0	59.0	101.0	4.04
76	118.0	86.0	44.0	61.0	103.0	4.41
80	118.0	86.0	44.0	61.0	103.0	4.41
85	124.0	86.0	48.0	66.0	108.0	4.88
86	124.0	86.0	50.0	68.0	110.0	4.82
90	130.0	106.0	53.0	71.0	113.0	6.24
95	135.0	106.0	56.0	74.0	116.0	6.56
100	143.0	106.0	59.0	77.0	119.0	7.48
105	148.0	106.0	62.0	82.0	124.0	7.93
110	154.0	106.0	65.0	85.0	127.0	8.51
115	161.0	127.0	68.0	88.0	130.0	10.48
120	168.0	127.0	71.0	91.0	133.0	11.38
125	174.0	127.0	74.0	96.0	138.0	12.31
130	180.0	127.0	77.0	99.0	141.0	13.09

IMPERIAL HEXAGON

A/F inch	D1 inch	D2 inch	T inch	C inch	OAL inch	WT. lbs
1 3/8	2.441	3.228	0.827	1.378	3.031	4.30
1 7/16	2.520	3.228	0.827	1.378	3.031	4.30
1 1/2	2.559	3.307	0.827	1.378	3.031	4.60
1 9/16	2.677	3.307	0.866	1.417	3.071	4.70
1 5/8	2.717	3.307	0.906	1.457	3.110	4.70
1 11/16	2.795	3.307	0.945	1.496	3.150	4.80
1 3/4	2.913	3.307	0.984	1.535	3.189	4.90
1 13/16	2.953	3.386	1.024	1.575	3.228	5.20
1 7/8	3.071	3.386	1.024	1.575	3.228	5.30
1 15/16	3.110	3.386	1.063	1.614	3.268	5.30
2	3.189	3.386	1.063	1.614	3.268	5.30
2 1/16	3.228	3.386	1.102	1.654	3.307	5.40
2 1/8	3.307	3.386	1.102	1.654	3.307	5.40
2 3/16	3.465	3.386	1.142	1.693	3.346	6.00
2 1/4	3.465	3.386	1.142	1.693	3.346	5.90
2 5/16	3.543	3.386	1.181	1.732	3.386	6.10
2 3/8	3.543	3.386	1.260	1.811	3.465	6.10
2 7/16	3.701	3.386	1.260	1.811	3.465	6.40
2 1/2	3.751	3.386	1.260	1.811	3.465	7.30
2 9/16	3.858	3.386	1.339	1.890	3.543	6.80
2 5/8	3.976	3.386	1.417	1.969	3.622	7.20
2 11/16	4.026	3.386	1.417	1.969	3.622	7.40
2 3/4	4.094	3.386	1.496	2.087	3.740	7.50
2 13/16	4.144	3.386	1.496	2.087	3.740	8.30
2 7/8	4.252	3.386	1.575	2.165	3.819	8.20
2 15/16	4.372	3.386	1.654	2.323	3.976	8.90
3	4.420	3.386	1.654	2.323	3.976	9.70
3 1/16	4.646	3.386	1.732	2.402	4.055	9.70
3 1/8	4.646	3.386	1.732	2.402	4.055	9.70
3 3/16	4.716	3.386	1.732	2.402	4.055	10.70
3 1/4	4.716	3.386	1.732	2.402	4.055	10.70
3 5/16	4.882	3.386	1.969	2.677	4.331	10.70
3 3/8	4.882	3.386	1.969	2.677	4.331	10.70
3 7/16	5.118	4.173	2.087	2.795	4.449	13.70
3 1/2	5.118	4.173	2.087	2.795	4.449	13.70
3 9/16	5.193	4.173	2.087	2.795	4.449	13.80
3 5/8	5.193	4.173	2.087	2.795	4.449	13.80
3 11/16	5.315	4.173	2.205	2.913	4.567	17.00
3 3/4	5.315	4.173	2.205	2.913	4.567	17.00
3 13/16	5.670	4.173	2.323	3.031	4.685	17.00
3 7/8	5.670	4.173	2.323	3.031	4.685	17.00
3 15/16	5.745	4.173	2.323	3.031	4.685	17.90
4	5.745	4.173	2.323	3.031	4.685	17.90
4 1/16	5.827	4.173	2.441	3.228	4.882	17.90
4 1/8	5.827	4.173	2.441	3.228	4.882	17.90
4 3/16	6.103	4.173	2.559	3.346	5.000	18.70
4 1/4	6.103	4.173	2.559	3.346	5.000	18.70
4 3/8	6.193	4.173	2.559	3.346	5.000	19.70
4 1/2	6.339	5.000	2.677	3.465	5.118	23.00
4 5/8	6.419	5.000	2.677	3.465	5.118	24.20
4 3/4	6.614	5.000	2.795	3.583	5.236	25.00
5	6.930	5.000	2.913	3.780	5.433	28.30
5 1/8	7.087	5.000	3.031	3.898	5.551	28.80

*BiHexagon socket available in all sizes.

TORQUING ACCESSORIES

1 1/2" DEEP IMPACT SOCKETS



METRIC DEEP HEXAGON

A/F mm	D1 mm	D2 mm	T mm	C mm	OAL mm	WT. kg
30	58.0	82.0	19.0	78.0	120.0	2.55
32	58.0	82.0	19.0	78.0	120.0	2.55
33	59.0	82.0	19.0	78.0	120.0	2.57
34	60.0	82.0	20.0	78.0	120.0	2.58
35	62.0	82.0	21.0	78.0	120.0	2.65
36	63.0	82.0	21.0	78.0	120.0	2.67
37	64.0	82.0	21.0	78.0	120.0	2.69
38	65.0	84.0	22.0	78.0	120.0	2.70
39	67.0	84.0	22.0	78.0	120.0	2.91
40	68.0	84.0	23.0	78.0	120.0	2.92
41	69.0	84.0	23.0	83.0	125.0	3.03
42	70.0	84.0	24.0	83.0	125.0	3.05
43	71.0	84.0	24.0	83.0	125.0	3.07
44	73.0	84.0	25.0	83.0	125.0	3.16
45	74.0	84.0	25.0	83.0	125.0	3.17
46	75.0	86.0	26.0	83.0	125.0	3.30
47	77.0	86.0	27.0	83.0	125.0	3.39
48	78.0	86.0	27.0	83.0	125.0	3.41
49	79.0	86.0	27.0	83.0	125.0	3.42
50	80.0	86.0	28.0	83.0	125.0	3.44
51	81.0	86.0	30.0	83.0	125.0	3.46
52	82.0	86.0	30.0	88.0	130.0	3.64
54	84.0	86.0	30.0	88.0	130.0	3.67
55	86.0	86.0	30.0	88.0	130.0	3.80
56	88.0	86.0	31.0	88.0	130.0	4.12
57	88.0	86.0	32.0	88.0	130.0	4.05
58	90.0	86.0	32.0	88.0	130.0	4.20
59	90.0	86.0	33.0	88.0	130.0	4.20
60	90.0	86.0	33.0	88.0	130.0	4.20
61	94.0	86.0	34.0	88.0	130.0	4.35
62	94.0	86.0	35.0	88.0	130.0	4.35
65	98.0	86.0	35.0	98.0	140.0	5.05
67	101.0	86.0	37.0	98.0	140.0	5.11
70	104.0	86.0	38.0	98.0	140.0	5.23
73	108.0	86.0	40.0	98.0	140.0	5.73
75	111.0	86.0	42.0	108.0	150.0	6.27
76	118.0	86.0	44.0	108.0	150.0	6.82
80	118.0	86.0	44.0	108.0	150.0	6.82
85	124.0	86.0	48.0	118.0	160.0	7.79
86	124.0	86.0	50.0	118.0	160.0	7.79
90	130.0	106.0	53.0	128.0	170.0	9.68
95	135.0	106.0	56.0	128.0	170.0	9.97
100	143.0	106.0	59.0	128.0	170.0	11.03
105	148.0	106.0	62.0	138.0	180.0	11.99
110	154.0	106.0	65.0	138.0	180.0	12.61
115	161.0	127.0	68.0	138.0	180.0	14.69
120	168.0	127.0	71.0	148.0	190.0	16.25
125	174.0	127.0	74.0	148.0	190.0	17.35
130	180.0	127.0	77.0	148.0	190.0	18.11

IMPERIAL DEEP HEXAGON

A/F inch	D1 inch	D2 inch	T inch	C inch	OAL inch	WT. lbs
1 3/8	2.441	3.228	0.827	3.071	4.724	5.80
1 7/16	2.520	3.228	0.827	3.071	4.724	5.90
1 1/2	2.559	3.228	0.827	3.071	4.724	5.90
1 9/16	2.677	3.307	0.866	3.071	4.724	6.40
1 5/8	2.717	3.307	0.906	3.268	4.921	6.70
1 11/16	2.795	3.307	0.945	3.268	4.921	6.80
1 3/4	2.913	3.307	0.984	3.268	4.921	7.00
1 13/16	2.953	3.386	1.024	3.268	4.921	7.30
1 7/8	3.071	3.386	1.024	3.268	4.921	7.50
1 15/16	3.110	3.386	1.063	3.268	4.921	7.50
2	3.189	3.386	1.063	3.268	4.921	7.60
2 1/16	3.228	3.386	1.102	3.465	5.118	8.00
2 1/8	3.307	3.386	1.102	3.465	5.118	8.10
2 3/16	3.465	3.386	1.142	3.465	5.118	8.10
2 1/4	3.465	3.386	1.142	3.465	5.118	8.90
2 5/16	3.543	3.386	1.181	3.465	5.118	9.20
2 3/8	3.543	3.386	1.260	3.465	5.118	9.20
2 7/16	3.701	3.386	1.260	3.465	5.118	9.60
2 1/2	3.751	3.386	1.260	3.465	5.118	10.50
2 9/16	3.858	3.386	1.339	3.858	5.512	11.10
2 5/8	3.976	3.386	1.417	3.858	5.512	11.20
2 11/16	4.026	3.386	1.417	3.858	5.512	11.40
2 3/4	4.094	3.386	1.496	3.858	5.512	11.50
2 13/16	4.144	3.386	1.496	3.858	5.512	12.30
2 7/8	4.25	3.386	1.575	3.858	5.512	12.60
2 15/16	4.370	3.386	1.654	4.252	5.906	13.80
3	4.420	3.386	1.654	4.252	5.906	14.70
3 1/16	4.646	3.386	1.732	4.252	5.906	15.00
3 1/8	4.646	3.386	1.732	4.252	5.906	15.00
3 3/16	4.716	3.386	1.732	4.252	5.906	16.00
3 1/4	4.716	3.386	1.732	4.252	5.906	16.00
3 5/16	4.882	3.386	1.969	4.646	6.299	16.70
3 3/8	4.882	3.386	1.969	4.646	6.299	16.70
3 7/16	5.118	4.173	2.087	5.039	6.693	21.30
3 1/2	5.118	4.173	2.087	5.039	6.693	21.30
3 9/16	5.193	4.173	2.087	5.039	6.693	21.40
3 5/8	5.193	4.173	2.087	5.039	6.693	21.40
3 11/16	5.315	4.173	2.205	5.039	6.693	21.90
3 3/4	5.315	4.173	2.205	5.039	6.693	21.90
3 13/16	5.670	4.173	2.323	5.039	6.693	24.90
3 7/8	5.670	4.173	2.323	5.039	6.693	24.90
3 15/16	5.745	4.173	2.323	5.039	6.693	25.80
4	5.745	4.173	2.323	5.039	6.693	25.80
4 1/16	5.827	4.173	2.441	5.433	7.087	26.40
4 1/8	5.827	4.173	2.441	5.433	7.087	26.40
4 3/16	6.103	4.173	2.559	5.433	7.087	27.70
4 1/4	6.103	4.173	2.559	5.433	7.087	27.70
4 3/8	6.193	4.173	2.559	5.433	7.087	28.70
4 1/2	6.339	5.000	2.677	5.433	7.087	32.30
4 5/8	6.419	5.000	2.795	5.827	7.480	35.70
4 3/4	6.614	5.000	2.795	5.827	7.480	35.70
5	6.930	5.000	2.913	5.827	7.480	39.40
5 1/8	7.087	5.000	3.031	5.827	7.480	39.90

*Bi-hexagon socket available in all sizes.



2 1/2" IMPACT SOCKETS



METRIC HEXAGON

A/F mm	D1 mm	D2 mm	T mm	C mm	OAL mm	WT. kg
43	86.0	116.0	28.0	46.0	104.0	4.97
44	86.0	116.0	28.0	46.0	104.0	4.97
45	86.0	116.0	28.0	46.0	104.0	4.97
46	86.0	116.0	28.0	46.0	104.0	4.97
47	86.0	116.0	28.0	46.0	104.0	4.97
48	86.0	116.0	28.0	46.0	104.0	4.97
49	86.0	116.0	28.0	46.0	104.0	4.92
50	86.0	116.0	28.0	46.0	104.0	5.07
51	90.0	116.0	29.0	46.0	104.0	5.07
52	90.0	116.0	29.0	46.0	104.0	5.87
54	92.5	124.0	30.0	46.0	104.0	6.08
55	93.8	124.0	32.0	52.0	110.0	6.10
56	95.0	124.0	32.0	52.0	110.0	6.12
57	96.3	124.0	32.0	52.0	110.0	6.14
58	97.5	124.0	32.0	52.0	110.0	6.55
59	98.8	127.0	34.0	54.0	112.0	6.64
60	100.0	127.0	36.0	56.0	114.0	6.69
62	103.0	127.0	36.0	56.0	114.0	6.83
65	106.0	127.0	38.0	58.0	116.0	6.89
67	109.0	127.0	38.0	58.0	116.0	7.05
70	113.0	127.0	40.0	60.0	118.0	7.13
73	116.0	127.0	40.0	60.0	118.0	7.38
75	119.0	127.0	42.0	64.0	122.0	7.39
76	120.0	127.0	44.0	64.0	122.0	7.50
80	125.0	127.0	44.0	64.0	122.0	8.06
85	129.0	127.0	48.0	68.0	126.0	8.59
86	132.0	127.0	50.0	68.0	129.0	8.87
90	136.0	127.0	52.0	70.0	130.0	9.37
95	142.0	127.0	54.0	72.0	132.0	10.20
100	148.0	127.0	56.0	78.0	138.0	10.99
105	154.0	127.0	60.0	82.0	142.0	11.89
110	161.0	127.0	64.0	86.0	146.0	12.19
115	165.0	127.0	67.0	89.0	149.0	13.30
120	173.0	127.0	70.0	92.0	152.0	13.68
125	179.0	127.0	73.0	95.0	153.0	14.52
130	185.0	127.0	76.0	98.0	156.0	18.37
135	192.0	152.0	79.0	103.0	161.0	18.58
140	196.0	152.0	82.0	106.0	164.0	20.22
145	204.0	152.0	85.0	109.0	167.0	21.37
150	211.0	152.0	88.0	112.0	170.0	22.04
155	215.0	152.0	91.0	117.0	175.0	23.92
160	223.0	152.0	94.0	120.0	178.0	27.19
165	229.0	175.0	96.0	122.0	180.0	28.93
170	235.0	175.0	98.0	126.0	184.0	30.20
175	242.0	175.0	100.0	128.0	186.0	30.28
180	246.0	175.0	103.0	131.0	189.0	32.54
185	254.0	175.0	106.0	134.0	192.0	34.04
190	261.0	175.0	109.0	137.0	195.0	34.80
195	265.0	175.0	112.0	142.0	200.0	37.49
200	273.0	175.0	115.0	145.0	203.0	39.91
210	285.0	175.0	120.0	150.0	208.0	41.94
215	292.0	175.0	123.0	153.0	211.0	45.71
225	304.0	175.0	130.0	160.0	218.0	4.97

IMPERIAL HEXAGON

A/F inch	D1 inch	D2 inch	T inch	C inch	OAL inch	WT. lbs
15/8	3.386	4.567	1.102	1.811	4.094	11.30
13/4	3.386	4.567	1.102	1.811	4.094	11.30
17/8	3.386	4.567	1.102	1.811	4.094	11.30
2	3.543	4.567	1.142	1.811	4.094	11.30
21/8	3.642	4.882	1.181	1.811	4.094	12.90
21/4	3.789	4.882	1.260	2.047	4.331	13.50
23/8	3.937	5.000	1.417	2.205	4.488	14.60
21/2	4.133	5.000	1.496	2.283	4.567	15.00
25/8	4.281	5.000	1.496	2.283	4.567	15.20
23/4	4.429	5.000	1.575	2.362	4.646	15.50
27/8	4.577	5.000	1.575	2.362	4.646	15.70
215/16	4.675	5.000	1.654	2.520	4.803	16.20
3	4.774	5.000	1.732	2.520	4.803	16.40
31/8	4.921	5.000	1.732	2.520	4.803	16.50
31/4	4.999	5.000	1.890	2.677	4.961	16.70
33/8	5.00	5.000	1.969	2.677	5.079	18.90
31/2	5.00	5.000	2.047	2.756	5.118	19.50
35/8	5.197	5.000	2.047	2.756	5.118	20.40
33/4	5.554	5.000	2.126	2.835	5.197	20.60
37/8	5.394	5.000	2.205	3.071	5.433	21.60
4	5.827	5.000	2.205	3.071	5.433	22.40
41/8	6.063	5.000	2.362	3.228	5.591	24.20
41/4	6.299	5.000	2.520	3.386	5.748	25.50
43/8	6.379	5.000	2.520	3.386	5.748	26.40
41/2	6.496	5.000	2.638	3.504	5.866	26.80
45/8	6.536	5.000	2.638	3.504	5.866	28.00
47/8	7.047	5.000	2.874	3.740	6.024	30.10
5	7.163	5.000	2.992	3.858	6.142	31.00
51/8	7.203	5.000	2.992	3.858	6.142	32.10
51/4	7.203	5.000	2.992	3.858	6.142	32.10
53/8	7.609	5.984	3.110	4.055	6.339	41.10
51/2	7.717	5.984	3.228	4.173	6.457	41.10
55/8	7.757	5.984	3.228	4.173	6.457	41.70
53/4	8.081	5.984	3.346	4.291	6.575	45.20
61/8	9.016	6.890	3.780	4.803	7.087	59.80
61/2	9.016	6.890	3.780	4.803	7.087	59.80
67/8	9.528	6.890	3.937	5.039	7.323	66.40
7	9.685	6.890	4.055	5.157	7.441	66.60
71/4	10.000	6.890	4.173	5.276	7.559	71.60
71/2	10.276	6.890	4.291	5.394	7.677	74.90
75/8	10.433	6.890	4.409	5.591	7.874	76.60
73/4	10.433	6.890	4.409	5.591	7.874	76.60
77/8	10.748	6.890	4.528	5.709	7.992	82.50
8	10.748	6.890	4.528	5.709	7.992	83.60
81/8	11.220	6.890	4.724	5.906	8.189	87.80
81/4	11.220	6.890	4.724	5.906	8.189	87.80
83/8	11.225	6.890	4.724	5.906	8.189	88.70
81/2	11.496	6.890	4.843	6.024	8.307	92.30
9	12.029	6.890	5.118	6.299	8.583	101.80
91/4	12.029	6.890	5.118	6.299	8.583	101.80

*Bitexagon socket available in all sizes.

TORQUING ACCESSORIES

2 1/2" DEEP IMPACT SOCKETS



METRIC DEEP HEXAGON

A/F mm	D1 mm	D2 mm	T mm	C mm	OAL mm	WT. kg
43	86.0	116.0	28.0	110.0	168.0	6.43
44	86.0	116.0	28.0	110.0	168.0	6.43
45	86.0	116.0	28.0	110.0	168.0	6.43
46	86.0	116.0	28.0	110.0	168.0	6.43
47	86.0	116.0	28.0	110.0	168.0	6.43
48	86.0	116.0	28.0	110.0	168.0	7.03
49	86.0	116.0	28.0	110.0	168.0	7.03
50	86.0	116.0	28.0	110.0	168.0	7.03
51	90.0	116.0	29.0	110.0	168.0	7.24
52	90.0	116.0	29.0	110.0	168.0	7.24
54	92.5	124.0	30.0	110.0	168.0	8.11
55	93.8	124.0	32.0	110.0	168.0	8.18
56	95.0	124.0	32.0	117.0	175.0	8.51
57	96.3	124.0	32.0	117.0	175.0	8.58
58	97.5	124.0	32.0	117.0	175.0	8.65
59	98.8	127.0	34.0	117.0	175.0	9.04
60	100.0	127.0	36.0	117.0	175.0	9.10
62	103.0	127.0	36.0	127.0	185.0	9.66
65	106.0	127.0	38.0	127.0	185.0	9.90
67	109.0	127.0	38.0	127.0	185.0	10.13
70	113.0	127.0	40.0	127.0	185.0	10.37
73	116.0	127.0	40.0	127.0	185.0	10.62
75	119.0	127.0	42.0	127.0	185.0	10.78
76	120.0	127.0	44.0	127.0	185.0	10.85
80	125.0	127.0	44.0	127.0	185.0	11.20
85	129.0	127.0	48.0	127.0	195.0	12.42
86	132.0	127.0	50.0	134.0	195.0	13.03
90	136.0	127.0	52.0	135.0	195.0	13.40
95	142.0	127.0	54.0	139.0	199.0	14.47
100	148.0	127.0	56.0	135.0	195.0	15.07
105	154.0	127.0	60.0	145.0	205.0	16.33
110	161.0	127.0	64.0	149.0	209.0	17.67
115	165.0	127.0	67.0	150.0	210.0	17.72
120	173.0	127.0	70.0	150.0	210.0	19.23
125	179.0	127.0	73.0	157.0	215.0	20.57
130	185.0	127.0	76.0	157.0	215.0	21.44
135	192.0	152.0	79.0	162.0	220.0	25.67
140	196.0	152.0	82.0	167.0	225.0	26.22
145	204.0	152.0	85.0	172.0	230.0	28.82
150	211.0	152.0	88.0	172.0	230.0	30.38
155	215.0	152.0	91.0	177.0	235.0	30.97
160	223.0	152.0	94.0	177.0	235.0	33.49
165	229.0	175.0	96.0	182.0	240.0	37.53
170	235.0	175.0	98.0	182.0	240.0	39.22
175	242.0	175.0	100.0	182.0	240.0	40.86
180	246.0	175.0	103.0	187.0	245.0	41.63
185	254.0	175.0	106.0	192.0	250.0	45.61
190	261.0	175.0	109.0	192.0	250.0	46.93
195	265.0	175.0	112.0	199.0	257.0	48.28
200	273.0	175.0	115.0	202.0	260.0	51.89
210	285.0	175.0	120.0	202.0	260.0	54.71
215	292.0	175.0	123.0	212.0	270.0	59.42
225	304.0	175.0	130.0	220.0	270.0	62.42

IMPERIAL DEEP HEXAGON

A/F inch	D1 inch	D2 inch	T inch	C inch	OAL inch	WT. lbs
1.5/8	3.386	4.567	1.024	4.331	6.614	13.80
1.3/4	3.386	4.567	1.024	4.331	6.614	13.80
1.7/8	3.386	4.567	1.102	4.331	6.614	13.80
2	3.543	4.567	1.142	4.331	6.614	15.90
2.1/8	3.642	4.882	1.181	4.331	6.614	17.80
2.1/4	3.789	4.882	1.260	4.606	6.890	18.90
2.3/8	3.937	5.000	1.417	4.606	6.890	20.00
2.1/2	4.133	5.000	1.496	5.000	7.283	21.80
2.5/8	4.281	5.000	1.496	5.000	7.283	22.80
2.3/4	4.429	5.000	1.575	5.000	7.283	22.80
2.7/8	4.577	5.000	1.575	5.000	7.283	23.40
2.15/16	4.675	5.000	1.654	5.000	7.283	23.40
3	4.774	5.000	1.732	5.000	7.283	24.10
3.1/8	4.921	5.000	1.732	5.000	7.283	24.60
3.1/4	4.999	5.000	1.890	5.276	7.677	26.60
3.3/8	5.197	5.000	1.969	5.276	7.677	28.70
3.1/2	5.354	5.000	2.047	5.315	7.677	29.50
3.5/8	5.354	5.000	2.047	5.315	7.677	30.40
3.3/4	5.354	5.000	2.126	5.472	7.677	31.80
3.7/8	5.394	5.000	2.205	5.472	7.677	32.40
4	5.827	5.000	2.205	5.472	7.677	33.20
4.1/8	6.063	5.000	2.362	5.709	8.071	35.90
4.1/4	6.299	5.000	2.520	5.866	8.228	38.20
4.3/8	6.379	5.000	2.520	5.866	8.228	39.10
4.1/2	6.496	5.000	2.638	5.906	8.268	39.10
4.5/8	6.536	5.000	2.638	5.906	8.268	40.20
4.7/8	7.047	5.000	2.874	6.181	8.465	45.30
5	7.163	5.000	2.992	6.181	8.465	47.20
5.1/8	7.203	5.000	2.992	6.181	8.465	48.30
5.1/4	7.203	5.000	2.992	6.181	8.465	48.30
5.3/8	7.609	5.984	3.110	6.378	8.661	57.20
5.1/2	7.717	5.984	3.228	6.575	8.858	57.70
5.5/8	7.757	5.984	3.228	6.575	8.858	58.50
5.3/4	8.081	5.984	3.346	6.772	9.055	64.10
6.1/8	9.016	6.890	3.780	7.165	9.449	82.60
6.1/2	9.016	6.890	3.780	7.165	9.449	82.60
6.7/8	9.528	6.890	3.397	7.165	9.449	89.90
7	9.685	6.890	4.055	7.362	9.646	91.60
7.1/4	10.000	6.890	4.173	7.559	9.843	100.30
7.1/2	10.276	6.890	4.291	7.559	9.843	103.20
7.5/8	10.433	6.890	4.409	7.835	10.118	106.20
7.3/4	10.433	6.890	4.409	7.835	10.118	106.20
7.7/8	10.748	6.890	4.528	7.953	10.236	114.20
8	10.748	6.890	4.528	7.953	10.236	115.30
8.1/8	11.220	6.890	4.724	7.953	10.236	120.40
8.1/4	11.220	6.890	4.724	7.953	10.236	120.40
8.3/8	11.225	6.890	4.724	7.953	10.236	121.30
8.1/2	11.496	6.890	4.843	8.346	10.630	130.70
9	12.029	6.890	5.118	8.661	10.630	138.50
9.1/4	12.029	6.890	5.118	8.661	10.630	138.50

*Bi-hexagon socket available in all sizes.